



MADE IN FINLAND

BICYCLE TYRES BUILT TO CARRY AND DESIGNED FOR THE FUTURE



PRODUCT CATALOGUE OF: 2026 SUMMER TYRE RANGE

Ride with uncompromised quality on our 100% EUDR compliant. Sustainably crafted with rcB2 recycled Carbon Black and supported by a lifetime warranty. (more details on page 17)

The DMACK ethos is simple – provide high quality tyres across all segments

dmack

SUOMI TYRES

The **DMACK brand** was created and competed at the highest level of motorsport as one of just two authorised tyre suppliers alongside Michelin to the FIA World Rally Championship between 2011 and 2017 (see: dmacktyres.com).

The business is focused on providing premium brand performance with a specific emphasis on quality, performance, and exceptional value.

The same expertise forms the foundation for DMACK's new production of Suomi Tyres for bicycles.

Rubber compound, especially designed for summer use, made in Finland, ensuring excellent grip even on the toughest conditions.

Local production is key with Suomi Tyres, and we are proud to say all our bicycle tyre production is done in Finland.





Yes, there is actually a tyre factory in Finland

Tucked away in the town of Lieksa, amidst the forests of Eastern Finland, a unique tradition continues—DMACK Tyres is proudly manufacturing high-quality bicycle tyres right here in the EU.

The story dates back to 1974 when Finland's legendary **Nokia's rubber industry** centralized bicycle tyre production in Lieksa. At the turn of the millennium, **Nokian Tyres** had become the world's leading manufacturer of studded winter bike tyres, producing for Nordic, Central European, and North American markets. In the year 2000 alone, **Nokian Tyres manufactured 1.2 million bicycle tyres and 1.1 million inner tubes.**

Now, under new ownership by DMACK, an internationally recognized name in motorsport, this legacy has been reborn as **DMACK Nordic Oy**. We are now one of the very few remaining tyre factories in the European Union producing bicycle tyres locally. Every tyre is crafted in Lieksa, using local expertise, environmentally sound materials, and advanced manufacturing techniques.

Made in Lieksa, Finland. Designed for Nordic conditions. Engineered to endure.

Suomi Tyres Summer Collection 2026 – Redefining durability

Welcome to the new era of Finnish tyre manufacturing. Produced in Lieksa, Finland, our 2026 Summer Collection combines legendary Nordic durability with cutting-edge sustainable technology. While our roots are in winter, our summer range is engineered to conquer every surface, from city asphalt to rugged gravel.

The New Benchmark for Cargo: Impact rcB2, we are proud to introduce the Impact rcB2, a tyre that sets a new industry standard

for heavy-duty riding. As the market shifts towards Cargo, SUV, and Longtail bikes, we have developed a true "Load Master."

Unmatched Load Capacity: With our innovative "RaCross" 4+2 Radial ply construction, the Impact rcB2 supports up to 180kg per tyre, outperforming standard cargo tyres on the market.

Sustainability: We don't just talk about green capabilities, we prove them. The Impact rcB2 is crafted from a 92% renewable compound featuring recycled Carbon Black, achieving an 84% reduction in CO2 emissions during the manufacturing process.

We are ready for the future. Every single Suomi Tyres bicycle tyre produced from August 2025 is fully EUDR compliant, utilizing fully traceable, deforestation-free natural rubber.

A Tyre for Every Rider: Beyond cargo, our collection offers precision for every discipline:

MTB & Gravel: The Koli series delivers dual-use performance for wet and dry off-road adventures.

City & Commuting: Our urban models provide fast, smooth rolling for everyday riding.


Classics: We keep the heritage alive with authentic tyres for vintage bikes.

Summer Tyres User Guide: Use the chart at the end to find the perfect tread pattern and compound for your specific riding conditions, from frozen winter to hot summer.



dmack
SUOMI TYRES

BUILT IN FINLAND.
DEFINED BY PRECISION WITH LOCAL PRODUCTION






40TPI (Threads per inch)
PA 6.6
94 x 1 tex
Ends/m 1350
Strength 70 N
Thickness 0,32 mm



60 TPI (Threads per inch)
PA 6.6
47 x 1 tex
Ends/m 2440
Strength 32 N
Thickness 0,25 mm

120 TPI (Threads per inch)
PA 6.6
23 x 1 tex
Ends/m 4700
Strength 12 N
Thickness 0,22 mm






Radial rubberized aramid anti puncture layer x 2

4 layer cross rubberized ply nylon

Reflective sidewall

Find out and read more about our advanced technology tires at: www.suomityres.fi



CARGO & SUV



TUBE TYPE



IMPACT rcB2 E-BIKE

The IMPACT rcB2 is a groundbreaking, high-quality sustainable bicycle tyre that offers exceptionally high load capacity and full puncture protection, backed by a lifelong material warranty and crafted with renewable, sustainable components.

Its design and production set a new standard in the industry, making a genuinely beneficial sustainability "IMPACT" within bicycle tyre manufacturing. Fully EUDR compliant, it is the ultimate family commuter's choice.

The IMPACT's tread pattern is derived from the layout of the renowned SUOMI Tyres "Routa" winter tyre. It features enhanced, stable flush channeling that offers high stability and durability. The cross-sipe surface tread blocks deliver maximum grip and safe riding all year round. Utilizing advanced Trelleborg "rcB2" renewable Carbon Black alongside natural rubber tread and sidewall compounds, the tyre is fully EUDR (European Union Deforestation Regulation) compliant. This innovative compound also achieves an 84% reduction in CO2 emissions during the manufacturing process.

IMPACT utilizes highly resistant, sustainable materials to form a 4+2 puncture-resistant carcass. This sophisticated tyre-building method equips the rider with four layers of 0.32mm-thick 70N (Newtons) highly resistant nylon plies. This provides a combined reinforcement of a 2.4mm high-tension, fully puncture-resistant carcass with impregnable sidewalls.

Combining these four cross plies with an industry-first two-capping radial ply belt, this "RaCross" (Radial Cross) construction is capable of carrying a massive 180kg maximum load, making it a true "Load Master" in the bicycle tyre industry. It offers safe and secure riding for extra-heavy loads on all e-bikes, especially Cargo, SUV, and Longtail models. With all these highly beneficial features, plus local Finnish production, consumers can rest assured of safe and sustainable riding with the IMPACT rcB2.

Features: IMPACT resistant. 92% renewable compound featuring recycled Carbon Black, achieving an 84% reduction in CO2 emissions during the manufacturing process. RaCross: 4+2 Radial Cross 180kg load master constructed carcass.



The European bicycle tyre industry is facing a radical change and challenge, and while few are talking about it, DMACK is fully prepared. The EUDR (EU Deforestation Regulation) is here, and we are ready!

Starting in 2026, soon all tyre companies must comply and prove supply chain sustainability using traceable GPS due diligence (DD)

data for natural rubber-sourced products sold in the EU. Failure to comply will result in:



- Non-compliance penalties..
- Blocked market access.
- Loss of public procurement opportunities.
- Fines of up to 4% of EU turnover.

Sustainable: 84% co2 reduction in process

RaCross: 4+2 Radial Cross load master constructed carcass

IMPACT resistant: Loads of up-to 160kg - 180kg

Find out and read more about our advanced technology tires at: www.suomityres.fi

HEAVY DUTY AIR TUBES
Recommended to use with the IMPACT rcB2 range to ensure compliance to our lifetime warranty.



CARGO & SUV



TUBE TYPE



IMPACT rcB2 E-BIKE

"EXTRA LOAD IMPACT", LOAD MASTER. DMACK has also recognized the swing in the bicycle industry and the increasing trend towards Cargo Bikes, SUV and Longtail Bikes, where consumers are ditching the second family car for e-bikes capable of carrying heavy loads. The Cargo bike, SUV and Longtail riders choice.

Requiring tyres - Capable of carrying Loads of up-to 160kg - 180kg

FSC & PERFC: DMACK suppliers are all EUDR compliant and members of Forest Stewart Council (FSC) and Programme for Endorsement of Forest Certification (PEFC).



SUPPLIERS: DMACK Nordic Oy, is not only planning to be ready, it is ready and every single SUOMI Tyre bicycle tyre produced from August 2025 is already EUDR compliant.

Via its chain of highly reputable natural rubber suppliers.

Packing unit 10pcs and inside pallet



Packing pallet of 70-100pcs



	Size	Inch	Max Inflated load (kg)	Product code	
	62-406	20 x 2,4	20	160kg	T800010
	70-406	20 x 2,8	20	160kg	T800020
	74-406	20 x 3,0	20	170kg	NEW T800060
	101-406	20 x 4,0	20	170kg	NEW T802010
	62-507	24 x 2,4	24	160kg	T800030
	70-507	24 x 2,8	24	160kg	T800040
	62-559	26 x 2,4	26	160kg	T800050
	101-559	26 x 4,0	26	180kg	T802020
	54-584	27,5 x 2,1	27,5	180kg	NEW T801010
	57-584	27,5 x 2,25	27,5	180kg	NEW T801020
	60-584	27,5 x 2,35	27,5	180kg	NEW T801030
	62-584	27,5 x 2,4	27,5	180kg	NEW T800070
	65-584	27,5 x 2,6	27,5	180kg	T801040
	70-584	27,5 x 2,8	27,5	180kg	NEW T800080
	42-622	28 x 1,75	28	160kg	T801050
	45-622	29 x 1,8	29	160kg	NEW T801060
	50-622	28 x 2,0	28	160kg	NEW T801070
	55-622	29 x 2,0	29	160kg	NEW T801681
	62-622	29 x 2,4	29	160kg	T801781

TPI: 4 x 40 | **Ply:** 4+2cap | **Anti puncture** | **Reflective Sidewall**
Packing: 10 | **Packing per Pallet:** 70-100 | **Compound:** rcB2



CITY



"Versatile" 40/60 tread design

Double rotation 6 layer reinforcement

Refelctive sidewall

Single wire triple rotation steel bead

Find out and read more about our advanced technology tyres at:
www.suomityres.fi



TUBE TYPE



Liekса Reflective E-BIKE

Liekса e-bike Reflective 6 layer construction. This highly advanced "Double Rotation" construction is a technical milestone which is unique to Liekса ebike reflective tyres.

This sophisticated method of tyre building, gives the rider 6 layers of 0.8mm thick resistant rubberized "40TPI" nylon radial ply's. Giving a combined reinforcement of 3.2mm high tension fully puncture resistant carcass, protecting both the Liekса's central tread pack and its triple rotation steel bead, secured by impregnable sidewalls.

This ensures guaranteed puncture protection and security for the rider.

Liekса e-bike reflective tread. This modern versatile city bike tyre tread design, gives low rolling resistance with a combined design of all season and summer tread blocks which house a unique specially formulated versatile tread compound which has 40% winter and 60% summer properties, formulated to give the rider security in all weather conditions.

The combination of all these high tech and unique features, gives the rider a quality "all" experience city ebike tyre, ensuring safe and secure long lasting puncture free riding.

Size Inch Product code

	35-622	28 x 1,35	28	T805100
	42-622	28 x 1,6	28	T805521
	50-622	28 x 2,0	28	T805612
	55-622	29 x 2,2	29	T806611
	60-622	29 x 2,35	29	T807711
	47-507	24 x 1,75	24	T805621

TPI: 40 | Ply: 6 | Tread version: Liekса ebike Reflective
Packing: 10 | Packing per Pallet: 70-100

Packing unit 10pcs and inside pallet




Packing pallet of 70-100pcs





CITY

Find out and read more about our advanced technology tires at:
www.suomityres.fi



TUBE TYPE



Lieksa Reflective

Lieksa Reflective 3 layer construction. This modern versatile city bike tyre design, gives low rolling resistance with a combined design of all season and summer tread blocks which house a unique specially formulated versatile tread compound which has 40% winter and 60% summer properties, formulated to give the rider security in all weather conditions.

The carcass construction is 3 layer rubberized nylon ply's, giving enhanced protection but at the same time remains supple, ensuring comfortable pedaling with reduced weight and low rolling resistance.

The combination of these unique features, gives the rider a quality all experience city bike tyre, ensuring safe and secure riding.

	Size	Inch	Product code	
	35-622	28 x 1,35	28	T805000
	42-622	28 x 1,6	28	T805021
	50-622	28 x 2,0	28	T805121
	55-622	29 x 2,2	29	T806111
	60-622	29 x 2,35	29	T806211
	47-507	24 x 1,75	24	T805221

TPI: 40 | Ply: 3 | Tread version: Lieksa Reflective
Packing: 10 | Packing per Pallet: 100-120

Packing unit 10pcs and inside pallet



Packing pallet of 70-120pcs





Dual use tread design and Nordic dual use tread compound


CrossRad construction with aramid anti puncture protection

Tubeless ready aramid bead sealing

Find out and read more about our advanced technology tires at:
www.suomityres.fi



MTB



KOLI MTB TLR (Foldable) *e25*

Available in specially designed dual-use compounds to cover off-road MTB riding from 5°C to 35°C in wet and dry conditions.

Tread -Dual use all purpose tread design to cover all round MTB riding conditions from the toughest trails to mixed hard packed gravel tracks with its mix of tread depths from outer to central blocks. The Koli MTB pattern offers a full package for the rider.

Tread compound with its Nordic designed dual use compound which holds adhesion properties in dual wet and dry conditions from temperatures ranging from -5 degrees to +20 degrees, giving the rider the scope to always have confident grip levels

Casing construction - Twin 60TPI 45° crossply nylon belts and central 90° anti puncture aramid radial belt, the cross-rad casing offers maximum e25 puncture resistance with high levels of steering response and braking footprint, giving increased stopping and traction capabilities.

e25 e-bike ready with 8/2 aramid constant bead wire clamping. Made in Lieksa Finland "Koli MTB TLR" blends all round grip in traction, braking and steering response with durability and puncture resistant, a great choice for a riders looking for that all-round MTB experience in wet and dry conditions.

Size Inch Product code

<i>e25</i>	57-584	27,5 x 2,25	27,5	T801200
<i>e25</i>	65-584	27,5 x 2,6	27,5	T801100
<i>e25</i>	54-622	29 x 2,1	29	T800500
<i>e25</i>	57-622	29 x 2,25	29	T800200
<i>e25</i>	60-622	29 x 2,35	29	T800600
<i>e25</i>	65-622	29 x 2,6	29	T800100
<i>e25</i>	62-686	32 x 2,4	32	NEW

TPI: 60 | Ply: 2+1 | Anti puncture | Compound: Nordic G/MTB
Sidewall Color: Black | Packing: 6 | Packing per Pallet: 144

Packing unit
6pcs



Packing pallet
of 144pcs



Dual use tread design and Nordic dual use tread compound

CrossRad construction with double aramid anti puncture protection tread and sidewall

Tubeless ready aramid bead sealing

Find out and read more about our advanced technology tires at:
www.suomityres.fi



MTB



KOLI MTB TLR (Foldable) *e25++*

Available in specially designed dual-use compounds to cover off-road MTB riding from 5°C to 35°C in wet and dry conditions.

Tread -Dual use all purpose tread design to cover all round MTB riding conditions from the toughest trails to mixed hard packed gravel tracks with its mix of tread depths from outer to central blocks. The Koli MTB pattern offers a full package for the rider.

Tread compound with its Nordic designed dual use compound which holds adhesion properties in dual wet and dry conditions from temperatures ranging from 5 degrees to 35 degrees, giving the rider the scope to always have confident grip levels

Casing construction - Twin 120 TPI, 70° crossply belts with double 90° anti-puncture covering full sidewall and tread. The cross rad ++ casing offers maximum e25 puncture resistance with high levels of steering response and braking footprint, giving increased stopping and traction capabilities, as well as full sidewall anti-puncture protection from loose sharp stones.

e25 e-bike ready with 8/2 aramid constant bead wire clamping. Made in Lieksa Finland "Koli MTB TLR" blends all round grip in traction, braking and steering response with durability and puncture resistant, a great choice for a riders looking for that all-round MTB experience in wet and dry conditions.

Size

Inch

Product code

<i>e25</i>	57-584	27,5 x 2,25	27,5	NEW
<i>e25</i>	65-584	27,5 x 2,6	27,5	NEW
<i>e25</i>	54-622	29 x 2,1	29	NEW
<i>e25</i>	57-622	29 x 2,25	29	NEW
<i>e25</i>	60-622	29 x 2,35	29	NEW
<i>e25</i>	65-622	29 x 2,6	29	NEW
<i>e25</i>	62-686	32 x 2,4	32	NEW

**TPI: 120 | Ply: 2+2 | Anti puncture | Compound: Nordic G/MTB
Sidewall Color: Black | Packing: 6 | Packing per Pallet: 144**

Packing unit
6pcs



Packing pallet
of 144pcs





Dual use tread design and Nordic dual use tread compound


CrossRad construction with double aramid anti-puncture protection

Aramid bead sealing

Find out and read more about our advanced technology tires at:
www.suomityres.fi



MTB



TUBE TYPE



KOLI MTB TT E-BIKE ER (extra reinforced)

Available in specially designed dual-use compounds to cover off-road MTB riding from 5°C to 35°C in wet and dry conditions.

Tread -Dual use all purpose tread design to cover all round MTB riding conditions from the toughest trails to mixed hard packed gravel tracks with its mix of tread depths from outer to central blocks. The Koli MTB pattern offers a full package for the rider.

Tread compound with its Nordic designed dual use compound which holds adhesion properties in dual wet and dry conditions from temperatures ranging from 5 degrees to 35 degrees, giving the rider the scope to always have confident grip levels

Casing construction – 4 LAYER 40 TPI 45° crossply nylon belts and 2 central 90° anti-puncture aramid radial belts. The cross-rad casing offers a bomb-proof 4+2 construction, perfect for leisure e-bike riders who never want to have to worry about punctures (suitable for e-bike only).

	Size	Inch	Product code
	57-584	27,5 x 2,25	27,5 NEW
	65-584	27,5 x 2,6	27,5 NEW
	54-622	29 x 2,1	29 NEW
	57-622	29 x 2,25	29 NEW
	60-622	29 x 2,35	29 NEW
	65-622	29 x 2,6	29 NEW
	62-686	32 x 2,4	32 NEW

TPI: 40 | Ply: 4+2 | Anti puncture | Compound: Nordic G/MTB
Sidewall Color: Black | Packing: 5 | Packing per Pallet: 50

Packing unit 5pcs and inside pallet



Packing pallet of 50pcs




KOLI MTB CLASSIC



MTB

Find out and read more
about our advanced
technology tires at:
www.suomityres.fi



TUBE TYPE



KOLI MTB TT CLASSIC

Available in specially designed dual-use compounds to cover off-road MTB riding from 5°C to 35°C in wet and dry conditions.

Tread -Dual use all purpose tread design to cover all round MTB riding conditions from the toughest trails to mixed hard packed gravel tracks with its mix of tread depths from outer to central blocks. The Koli MTB pattern offers a full package for the rider.

Tread compound with its Nordic designed dual use compound which holds adhesion properties in dual wet and dry conditions from temperatures ranging from 5 degrees to 35 degrees, giving the rider the scope to always have confident grip levels

Casing construction – Twin 40 TPI 45o crossply nylon belts the casing offers levels of resistance

Steel bead constant bead wire clamping. Made in Lieksa Finland “Koli MTB” blends all round grip in traction, braking and resistance, a great choice for a riders looking a secure MTB experience in wet and dry conditions.

	Size	Inch	Product code
54-559	26 x 2,1	26	T801541
101-559	26 x 4,0	26	T801441
57-584	27,5 x 2,25	27,5	T801241
65-584	27,5 x 2,6	27,5	T801041
54-622	29 x 2,1	29	T800541
57-622	29 x 2,25	29	T800241
60-622	29 x 2,35	29	T800641
65-622	29 x 2,6	29	T800041

TPI: 40 | Ply: 3 | Compound: Nordic G/MTB
Sidewall Color: Black | Packing: 5 | Packing per Pallet: 50

Packing unit 5pcs
and inside pallet

Packing pallet of
50pcs





COMING SOON!

dmack
SUOMI TYRES

KOLI SORA

Koli Sora

The Koli Gravel is a versatile, 120 TPI Tubeless Ready tyre delivering superior grip, stability, and low rolling resistance. Its progressive tread and Nordic compound ensure reliable performance in all weather conditions. Protected by an Aramid belt and Carbon bead, it is also available in an E-bike version, offering ultimate safety for demanding, high-speed adventures.

	Size	Inch	Product code
	45-622	28 x 1,8	28 T801500
	45-622	28 x 1,8	28 T801581
	50-622	28 x 2,0	28 T801400
	50-622	28 x 2,0	28 T801481

TPI: 120 | **Ply:** 2+1 | **Anti puncture** | **Compound:** Nordic G/MTB
Sidewall Color: Black/Natural | **Packing:** 6 | **Packing per Pallet:** 144



Tubeless ready carbon sealing

120TPI anti puncture belt

Fast dual temp tread compound with progressive tread block depth

One extra layer in the e-bike models, making it two in total.



GRAVEL

Find out and read more about our advanced technology tires at: www.suomityres.fi





COMING SOON!

dmack
SUOMI TYRES

LIEKSA OUTBACK

Liekka Outback

The Liekka Outback is a versatile urban and off-road tyre designed for fearless exploration. Its directional arrow tread and Nordic compound ensure reliable grip in all weather conditions. Featuring a "bomb-proof" multi-layer nylon construction and steel wire bead for ultimate puncture protection, it is available in E-bike and non-E-bike versions, offering extreme durability for any adventure.

	Size	Inch	Product code
	62-584	27,5 x 2,4	27,5 T808011
	62-622	29 x 2,4	29 T808021

TPI: 8 x 40 | **Ply:** 8 | **Reflective Sidewall**
Packing: 10 | **Packing per Pallet:** 70-100



Dual temp tread compound

Bombproof 8-layer puncture protection

Single wire triple rotation steal bead



SUV

Find out and read more about our advanced technology tires at: www.suomityres.fi



TUBE TYPE



ROLLSPEED TS

Rollspeed TS

Designed for city life and light touring, the Rollspeed TS is a reliable and stylish tire for the modern urban cyclist. Featuring a classic gumwall construction and specialized rubber compound, it delivers excellent grip, wear resistance, and a smooth ride.

Its perfectly balanced geometry absorbs city vibrations for comfort while maintaining low rolling resistance for speed.

Made in Finland since 1974.
This classic tire is an endorsement of authentic Nordic craftsmanship and the true sisu spirit.



Size Inch Product code

32-622	28	T204511
37-622	28	T203011

TPI: 30 | Ply: 1 | Sidewall Color: Black
Packing: 10 | Packing per Pallet: 130-140

Packing unit 10pcs and inside pallet



Packing pallet of 130-140pcs



TUBE TYPE



MOUNT & CITY

Mount & City

The authentic, legendary choice for Finnish classics like the Helkama Jopo and vintage Tunturi. The Mount & City combines its original tread pattern and classic gumwall construction with Suomi Tyres pioneering, eco-friendly non-toxic rubber compound.

Proudly made in Finland, it offers the perfect blend of vintage style, modern durability, and responsible quality.

Made in Finland since 1974.
This classic tire is an endorsement of authentic Nordic craftsmanship and the true sisu spirit.



Size Inch Product code

54-584	27,5	T217251
44-484	27,5	T231212
54-203	12	T268012

TPI: 30 | Ply: 1 | Sidewall Color: Black
Packing: 10 | Packing per Pallet: 100-120

Packing unit 10pcs and inside pallet



Packing pallet of 100-120pcs



TUBE TYPE



SL-35

SL-35

"The SL-35 is a classic street and road tire that perfectly bridges vintage aesthetics with modern responsibility. Featuring a distinctive gumwall structure, it offers a stylish retro appearance and a remarkably supple ride.

Upgraded with Suomi Tyres specialized non-toxic rubber compound, it ensures durable and reliable grip.

Made in Finland since 1974.
This classic tire is an endorsement of authentic Nordic craftsmanship and the true sisu spirit.



Size Inch Product code

44-531	24	T221012
--------	----	---------

TPI: 30 | Ply: 1 | Sidewall Color: Black
Packing: 10 | Packing per Pallet: 120

Packing unit 10pcs and inside pallet



Packing pallet of 120pcs



TUBE TYPE



ROLLSPEED XL

Rollspeed XL

Engineered for versatile road, city, and light gravel riding, the Rollspeed XL delivers a smooth and confident ride. Its generous profile provides superior shock absorption and stability without compromising rolling efficiency.

Featuring a classic gumwall construction and a specialized rubber compound, it ensures exceptional durability and all-weather grip.

The perfect blend of timeless aesthetics, performance, and comfort.

Made in Finland since 1974.

This classic tire is an endorsement of authentic Nordic craftsmanship and the true sisu spirit.


Size	Inch	Product code
47-622	28	T200511

**TPI: 30 | Ply: 1 | Sidewall Color: Black
Packing: 10 | Packing per Pallet: 130**

Packing unit 10pcs and inside pallet



Packing pallet of 130pcs



TUBE TYPE

dmack
SUOMI TYRES



Pacer S

Engineered for fast-paced street riding, the Pacer S delivers performance without compromise. It features a pioneering non-toxic rubber compound and a lightweight gumwall structure for low rolling resistance, exceptional durability, and a smooth ride.

Proudly made in Finland, it combines a clean vintage look with eco-friendly, forward-thinking materials for the conscious urban cyclist.

Made in Finland since 1974.

This classic tire is an endorsement of authentic Nordic craftsmanship and the true sisu spirit.

Size	Inch	Product code
47-622	28	T2162111
47-559	26	T216211
47-507	24	T224151

**TPI: 30 | Ply: 1 | Sidewall Color: Black
Packing: 10 | Packing per Pallet: 120**

Packing unit 10pcs and inside pallet



Packing pallet of 120pcs



TUBE TYPE

dmack
SUOMI TYRES

PACER S



Ultra Tour 2

The Ultra Tour 2 delivers uncompromised performance for city commuting and extended touring in any weather. Featuring a specialized Nordic winter-rated compound, it maintains exceptional grip and pliability even in freezing conditions.

Combined with a robust gumwall construction, it absorbs road vibrations to perfectly balance comfort and rolling efficiency.

Made in Finland since 1974.

This classic tire is an endorsement of authentic Nordic craftsmanship and the true sisu spirit.

Size	Inch	Product code
40-622	28	T201611
37-622	28	T2016111
47-559	26	T216611

**TPI: 30 | Ply: 1 | Sidewall Color: Black
Packing: 10 | Packing per Pallet: 120-140**

Packing unit 10pcs and inside pallet



Packing pallet of 120-140pcs



TUBE TYPE

dmack
SUOMI TYRES

ULTRA TOUR 2





DMACK HEAVY DUTY AIR TUBES

Our Heavy Duty Air Tubes feature a robust 1.2mm wall thickness and come with a 40mm valve. To make your tyre changes effortless, every box includes 2x DMACK tyre levers. These tubes are fully compatible with Cargo e-bikes, SUV e-bikes, Longtail e-bikes, and City e-bikes.

Important: It is highly recommended to use these tubes with the DMACK Impact rcB2 tyre range to ensure full compliance with the lifetime warranty.

Tube sizes / AVAILABLE SIZES

- 20": 54-406 (2.1 x 20") – 74-406 (3.0 x 20")
- 20": 74-406 (3.0 x 20") – 101-406 (4.0 x 20")
- 24": 54-507 (2.1 x 24") – 74-507 (3.0 x 24")
- 26": 54-559 (2.1 x 26") – 74-559 (3.0 x 26")
- 26": 74-559 (3.0 x 26") – 101-559 (4.0 x 26")
- 27.5": 54-584 (2.1 x 27.5") – 74-584 (3.0 x 27.5")
- 27.5": 74-584 (3.0 x 27.5") – 101-584 (4.0 x 27.5")
- 28": 32-622 (1.25 x 28") – 55-622 (2.15 x 28")
- 29": 54-622 (2.1 x 29") – 74-622 (3.0 x 29")

The Impact rcB2 tyre range comes with a lifetime manufacturer warranty covering material and workmanship defects. To qualify, tyres must have been correctly installed and used under normal riding conditions using the correct recommended air pressure and fitted with correct tube type.

To process a claim, simply email your proof of purchase and photos of the defect to info@dmacktires.com. The impact rcB2 Lifetime Warranty guarantees that your Impact rcB2 bicycle tyre is free from manufacturing defects in materials and workmanship for the practical lifetime of the original product.

Warranty Inclusions: raw material defects: premature cracking, rubber separation of tread and sidewall, faulty bead construction that occurs under normal use. Workmanship Flaws: Irregularities originating during the manufacturing process at the manufacturing facility.

Warranty Exclusions (What is Not Covered) This warranty does not cover damage resulting from: Normal wear and tear or gradual tread degradation over time. Punctures, cuts, or tears caused by road hazards (e.g., glass, nails, sharp rocks). Tyre sidewall stickers or decoration of sidewalls. Improper installation, incorrect tyre inflation, or improper wheel alignment. Use in extreme competitions, stunt riding, or commercial applications. Misuse, abuse, vandalism, or accidents.

How to File a Claim: To make a claim under the DMACK Impact rcB2 warranty, please contact the support team directly at info@dmacktires.com. To expedite your claim, ensure you provide the following details: Proof of Purchase: Your original receipt or order number. Product Details: The exact size and model of the Impact rcB2 tyre. Evidence: Clear, well-lit photos showing the alleged defect. For additional corporate and product information, you can visit the official homepage www.suomityres.fi and review the conditions for general sales policies.

SUMMER TYRES USER GUIDE



Technical Tips and advice

- Storage** - Remove your tyres and clean them, then store at room temp to avoid damage and they will be ready for the following season.
- Choice** - By choosing the correct tread pattern for your riding, be it off road MTB for full off road adventure riding, or city commute, check the user chart to make the right choice for you.
- Pressures** - For more details on running pressures per size go to the technical sheet.



dmack

SUOMI TYRES

Sales partners and Point of sale

Suomi Tyres bicycle tyres are distributed and sold across the Nordics by our wholesale partner, Shimano Nordic, with an active network of over 2,500 dealers.


SHIMANO

Distributor and OEM manufacturing opportunities are available outside the Nordics. For more information, contact: sales@dmacktires.com





For more details
check on our website:



Suomi Tyres DMACK Nordic Oy – Made in Finland.

Kerantie 19 | 81720 Lieksa | www.suomityres.fi | info@dmacktires.com

The DMACK ethos is simple – provide high quality tyres across all segments.